

City of Canal Winchester

36 South High Street
Canal Winchester, Ohio 43110
Development Department
Phone (614) 837-7501 Fax (614) 837-0145

VARIANCE APPLICATION

rev. 09/24/2013

PROPERTY OWNER
Name Meyer
Address 2350 3 mile Rd, Grand Rapids MT 49544
Daytime Phone (616) 791-3909 Email mattile neger con
APPLICANT Name Brexton Construction
Address 1123 Goodale Blud Suite 500 Columbus OH 43212
Daytime Phone (614) 441-4110 Email cray abbott & brestonle
Daytime Phone (614) 441-4110 Email craig abbott@hrextonle.co
Current Zoning PID Variance Request to Section
Requested Variance See Attached.
Attach a legal description and current survey (within 2 years) of the subject property and all supporting materials as required by Section 1147.02(c) (see attachment). Additional information may be required by the Planning and Zoning Commission.
I certify that the information provided with this application is correct and accurate
Property Owner's or Authorize Agent' Signature to the best of my ability. 10/21/19
DO NOT WRITE BELOW THIS LINE
Date Received:// Fee: \$ Historic District: Yes No Paid Preservation District: Yes No
Date of Action: / / Application No
Expiration Date: / /
Tracking Number: VA

Phone 614-866-9158 John.Wetherill@jjsurveyingohio.com John7811@ameritech.net

October 11, 2019

Description of 1.384 acres

Situated in the State of Ohio, County of Fairfield, Village of Canal Winchester, and being a part of Section 28 Township 15, Range 20, Congress Lands, and being 1.384 acres out of 24.769 acre tract as described in a deed to Meijer Stores Limited Partnership as recorded in O.R. 1451, Pg.'s 3330-3334, Fairfield County Recorder's Office, said 1.384 acre tract being more particularly described as follows:

Beginning for reference at a found monument box with a ³/₄" iron pin with aluminum cap stamped "Trucco Construction ODOT C/L P.S. 7961", said monument box being located in the centerline of Diley Rd at the common corner of Sections 20, 21, 28, & 29;

Thence S 04°33'10" W, 503.61', along the centerline of said Diley Rd., being the common line between said Section 29 & 28, and along a west line of a 0.879 acre tract as conveyed to Board of Fairfield County Commissioners 40-WDV as recorded in O.R. 1324, Pg. 81, to a point:

Thence S 85°26'50" E, 69.86', crossing said Diley Rd and crossing said 0.879 acre tract, to an iron pin set, said iron pin being the True Place of Beginning for the herein described 1.384 acre tract;

Thence crossing said 24.769 acre tract, along a new division line, the following 3 courses and distances:

S 85°23'55"E, 336.68', to an iron pin set;


S 04°36'05"W, 180.00', to an iron pin set;

N 85°23'55"W, 333.00', to an iron pin set in the east line of said Diley Rd., being the east line of said 0.879 acre tract;

Thence N 03°25'47"E, 180.04', along the east line of said Diley Rd., being the east line of said 0.879 acre tract, to the True Place of Beginning, having an area of 60271 Square Feet, or 1.384 Acres, more or less, subject to all legal easements and right of ways of record.

Bearings are based on the centerline of said Diley Rd, as being S 04°33'10" W, based on GPS observations using the State of Ohio Department of Transportation VRS System, the State Plane Coordinate System, Ohio South Zone, North American Datum, of 1983, also known as NAD83 (2011 Adjustment). All iron pins set are 5/8" rebar, 30" long with yellow plastic cap stamped "J & J Surveying". All references to documents are recorded in the Fairfield County Recorder's Office. This description is based on an actual field survey performed by J & J Surveying under the direction of John W. Wetherill, P.S. 7811, in Octobery 2019.

TOPOGRAPHIC SURVEY OF A PART OF OUTLOT 4 MEIJER DR., CANAL WINCHESTER, OHIO



SITUATED IN THE STATE OF OHIO, COUNTY OF FAIRFIELD, VILLAGE OF CANAL WINCHESTER, BEING A PART OF SECTION 28 TOWNSHIP 15, RANGE 20, CONGRESS LANDS, AND BEING A PART OF 24.769 ACRE TRACT AS CONVEYED TO MEIJER STORES LIMITED PARTNERSHIP AS RECORDED IN OFFICIAL RECORD BOOK 1451, PAGE 330-334, FAIRFIELD COUNTY RECORDER'S OFFICE.

LEGENI

Gas Main

UGE Underground Lines

OH Overhead Lines

Electric Lines

UGT Telephone Lines

UGC Cable TV Lines

A All Overhead Utilities

FO Fiber Optic Line

Ditch Line

Man Hole $\blacksquare \oplus$ Storm Inlet Curb Inlet Drop Inlet Diameter Clean Out DSD Downspout Drain Fire Hydrant GV⊗ Valve Box Gas Meter Gas Valve Water Meter Water Valve Electric Meter Utility Pole Guy Wire

WV Water Valve
EM Electric Meter
Utility Pole
Guy Wire
Pole Numbers
O Gas Line Marker
Light Pole
Yard or Flood Light
Telephone Closure
Electric Closure
Cable Television Closure
Traffic Signal Pole
Bollard
Utility Pull Box
Handicap
Fence
Sign
CONC Concrete
Evergreen Tree
Deciduous Tree

CONC Stone Found Monument Box Iron Pin Set Iron Pin Found MAG Nail Set Railroad Spike Found Deed Volume Official Record Instrument Number Iron Pin Found Iron Pipe Found Railroad Spike Found Mag Nail Set Mag Nail Found Drill Hole Set Deed Calls Measured Calls ALL MONUMENTS FOUND ARE NOTED WITH SIZE, CONDITION, AND GRADE.

ALL IRON PINS SET ARE 5/8" IN

DIAMETER W/ CAP STAMPED

"J & J SURVEYING"

NOTES:

THIS SURVEY MEETS CURRENT "MINIMUM STANDARDS FOR PROPERTY BOUNDARY SURVEYS."

THE BASIS OF BEARINGS FOR THIS SURVEY IS THE CENTERLINE OF DILEY ROAD AS BEING S 43° 33'10" W. BASED ON GPS OBSERVATIONS USING THE STATE OF OHIO DEPARTMENT OF TRANSPORTATION VRS SYSTEM. THE STATE PLANS COORDINATE SYSTEM, OHIO SOUTH ZONE, NORTH AMERICAN DATUM OF 1983, ALSO KNOW AS NAD83 (2011 ADJUSTMENT).

EXCEPT AS SPECIFICALLY STATED OR SHOWN ON THIS PLAT, THIS SURVEY DOES NOT PURPORT TO REFLECT ANY OF THE FOLLOWING WHICH MAY BE APPLICABLE TO THE SUBJECT REAL ESTATE: EASEMENTS, OTHER THAN POSSIBLE EASEMENTS THAT WERE VISIBLE AT THE TIME OF MAKING OF THIS SURVEY; BUILDING SETBACK LINES; RESTRICTIVE COVENANTS; SUBDIVISION RESTRICTIONS; ZONING OR OTHER LAND—USE REGULATIONS, AND ANY OTHER FACTS THAT AN ACCURATE AND CURRENT TITLE SEARCH MAY DISCLOSE.

DECLARATION IS MADE TO ORIGINAL PURCHASER OF THE SURVEY IT IS NOT TRANSFERABLE TO ADDITIONAL INSTITUTIONS OR SUBSEQUENT OWNERS.

SUBSURFACE AND ENVIRONMENTAL CONDITIONS WERE NOT EXAMINED OR CONSIDERED AS A PART OF THIS SURVEY.

NO STATEMENT IS MADE CONCERNING THE EXISTENCE OF UNDERGROUND OR OVERHEAD CONTAINERS OR FACILITIES
THAT MAY AFFECT THE USE OR DEVELOPMENT OF THIS TRACT.

AS OF THE DATE OF THIS SURVEY, THERE IS NO OBSERVED EVIDENCE OF CURRENT EARTH MOVING WORK, BUILDING CONSTRUCTION OR BUILDING ADDITIONS.

AS OF THE DATE OF THIS SURVEY, THERE ARE NO PROPOSED CHANGES IN STREET RIGHT OF WAY LINES, NOR ANY OBSERVED EVIDENCE OF RECENT STREET OR SIDEWALK CONSTRUCTION OR REPAIRS.

THE LOCATIONS OF UNDERGROUND UTILITIES AS SHOWN HEREON ARE BASED ON ABOVE—GROUND STRUCTURES AND RECORD DRAWINGS PROVIDED THE SURVEYOR. LOCATIONS OF UNDERGROUND UTILITIES\STRUCTURES MAY VARY FROM LOCATIONS SHOWN HEREON. ADDITIONAL BURIED UTILITIES\STRUCTURES MAY BE ENCOUNTERED. NO EXCAVATIONS WERE MADE DURING THE PROGRESS OF THIS SURVEY TO LOCATE BURIED UTILITIES\STRUCTURES. BEFORE EXCAVATIONS ARE BEGUN, THE OHIO UTILITY PROTECTION SERVICE SHOULD BE CONTACTED FOR VERIFICATION OF UTILITY TYPE AND FOR FIELD LOCATIONS.

<u>FLOOD ZONE.</u>


THE PROPERTY SHOWN HEREON LIES IN ZONE "X", AREAS DETERMINED TO BE OUTSIDE OF THE 0.2% ANNUAL CHANCE FLOODPLAIN.


ELEVATION

ELEVATIONS ARE BASED ON GPS OBSERVATION USING THE OHIO DEPARTMENT OF TRANSPORTATION VRS SYSTEM=NAVD 88 DATUM.

SITE BENCHMARK #1CHISLED "X" ON SOUTH RIM OF SANITARY SEWER MAN HOLE LOCATED IN THE CENTERLINE OF THE ACCESS DRIVE ALONG THE EAST LINE OF THE SUBJECT TRACT, AS SHOWN ON SURVEY. ELEV=790.80

CAT CATAWPA
CDR CEDAR
COT COTTTONWOOD
CRAB CRABAPPLE
HACK HACKBERRY
HCK HICKORY
LOC LOCUST
MPL MULBERRY
ORN ORNAMENTAL
POP POPLAR
SPR SPRUCE
WAL WALNUT
WC WILD CHERRY
WIL WILLOW





TOPOGRAPHIC SURVES
PART OF OUTLOT 4 |
DR., CANAL WINCHESTE

7509 EAST MAIN ST. SUITE 104

REYNOLDSBURG, OHIO 43068

PH# (614) 866–9158

JOHN7811@AMERITECH.NET

HN.WETHERILL@JJSURVEYINGOHIO.COM

19-070

Development Text & Variance

The Applicant has reviewed all applicable development text and design standards. Our intent is to conform to the development standards, however we have identified the following variance that we will need to request.

- 1. Requesting variance to vary from the 50' build to line along Diley Rd.
 - a. The existing storm water easement extends further than 50' and requires a deeper build to setback line. We are currently showing our building 71' from the R/W
 - b. No, this application will not deprive others property owners of their rights
 - c. They do not. The storm water easement is existing
 - d. This condition affects all outparcels in front of Meijer, requiring similar variance for each these other outparcels and does not represent any undue privilege to the applicant
 - e. No this will not adversely affect public health, safety, convenience, comfort, prosperity, and general welfare
 - f. Granting of the variance is also a physical limitation of the property, due to location of storm water easement
 - g. Our use is permitted and not affected by this variance request

Neighbors list:

See Attached

Engineering Feasibility Statement

Water, sanitary and storm water services are available to our parcel in sufficient size/capacity to service our intended use.

- Currently sanitary services are stubbed to our parcel on the east side of the tract and is at sufficient depth to accommodate our project.
- Water services is currently located at the south and north end of the out parcels and will need to be extended to and across our site as part of our project. This work is included in our project.
- Storm water service is located on site and will be tied into directly. The overall development by Meijer includes a regional detention basin for managing storm water volume and quality. We have reviewed the Meijer storm basin calculations to confirm it will support our site.

Evidence of Control of Land

From: Levitt, Matt < <u>Matt.Levitt@meijer.com</u>>
Sent: Friday, September 27, 2019 3:37 PM

To: Melanie Wollenberg < melanie.wollenberg@brextonilc.com >

Subject: RE: status update

I just received the approved deal paperwork. I will send to Legal and we will hopefully have a contract to you in a couple of weeks.


meijer

Matt Levitt / Manager - Property Sales / Real Estate

Meijer / 989 / 2350 3 Mile Rd., NW / Grand Rapids, MI 49544

P: 616-791-3909

matt.levitt@meijer.com





LOCATION MAP

THE MANNIK & SMITH GROUP, INC.

1160 DUBLIN ROAD, SUITE 100

COLUMBUS, OHIO 43215

CONTACT: STEVEN E. FOX

PHONE: 614-452-4628


EMAIL: SFOX@MANNIKSMITHGROUP.COM

BREXTON, LLC 1123 GOODALE BLVD GRANDVIEW HEIGHTS, OHIO 43212 CONTACT: CRAIG ABBOTT PHONE: 614-441-4110 EMAIL: CRAIG.ABBOT@BREXTONLLC.COM

1.38± AC. 1.24± AC. 0.03 AC. 0.76± AC.

PCD - PLANNED COMMERCIAL DISTRICT

- ALL PAVEMENT MARKINGS, SIGNS AND OTHER TRAFFIC CONTROL DEVICES SHALL CONFORM TO AASHTO AND THE MANUAL ON UNIFORM TRAFFIC CONTROL DEVICES.
- 2. CONTRACTOR SHALL FURNISH AND INSTALL ALL PAVEMENT MARKINGS AS SHOWN ON THE PLANS. PAVEMENT MARKINGS SHALL BE APPLIED PER MANUFACTURER RECOMMENDATIONS. APPLY PAINT TO CLEAN, DRY SURFACES TO YIELD SHARP DEFINITION OF EDGES. AIR TEMPERATURE OF 50° MINIMUM.



PRELIMINARY SITE PLAN

CLC

Ш


OUTPARCE

MEIJER

Д

IMPROVEMENTS

SIT





EX CURB INLET EX SANITARY MANHOLE

PR CATCH BASIN

EX CATCH BASIN

PR STORM STRUCTURE # PR MANHOLE

CLEAN OUT

——— FO ——— EX COMMUNICATION LINE


1 PROPOSED TRANSFORMER.


2 PROPOSED 2" DOMESTIC WATER SERVICE

PROPOSED 6" SANITARY SEWER SERVICE.

STM STORM PROPOSED ESMT EASEMENT INVERT INV RIGHT-OF-WAY FINISHED FLOOR FF TOP OF CASTING

- 1. CONTRACTOR SHALL EXERCISE EXTREME CAUTION WHEN EXCAVATING AROUND EXISTING UTILITIES. COORDINATE ANY RELOCATION WITH RESPECTIVE UTILITY OWNER.
- 2. INVESTIGATION, LOCATION, SUPPORT, PROTECTION, AND RESTORATION OF ALL EXISTING UTILITIES AND APPURTENANCES SHALL BE THE RESPONSIBILITY OF THE CONTRACTOR, PRIOR TO CONSTRUCTION TO DETERMINE IN THE FIELD THE ACTUAL LOCATION AND ELEVATIONS OF ALL EXISTING UTILITIES WHETHER SHOWN ON THE PLANS OR NOT. THE CONTRACTOR SHALL CALL THE OHIO UTILITIES PROTECTION SERVICES, OUPS, AT 811 OR 1-800-362-2764 TWO (2) WORKING DAYS PRIOR TO THE START OF CONSTRUCTION.
- 3. THE CONTRACTOR SHALL PROVIDE MINIMUM CLEARANCES OF 1.0' VERTICAL AND 3.0' HORIZONTAL BETWEEN ALL UNDERGROUND UTILITIES. WATER, SANITARY AND STORM UTILITIES REQUIRE MINIMUM CLEARANCES OF 1.5' VERTICAL AND 10.0' HORIZONTAL. NO FACILITY SHALL BE INSTALLED WITH LESS THAN THESE MINIMUM CLEARANCES WITHOUT THE WRITTEN APPROVAL OF THE OWNERS OF THE OTHER FACILITIES INVOLVED. THE CONTRACTOR SHALL EXPOSE ALL UTILITIES OR STRUCTURES PRIOR TO CONSTRUCTION TO VERIFY THE VERTICAL AND HORIZONTAL CLEARANCES WITH PROPOSED CONSTRUCTION. THE COST OF THIS WORK SHALL BE INCLUDED IN THE PRICE BID FOR VARIOUS ITEMS. THE FLOW OF ALL SEWERS, DRAINS AND WATER COURSES ENCOUNTERED AND DISTURBED OR DESTROYED DURING THE PROSECUTION OF THE WORK SHALL BE RESTORED BY THE CONTRACTOR TO A SATISFACTORY CONDITION. PAYMENT FOR THIS ITEM SHALL BE INCLUDED IN THE PRICE BID FOR THE VARIOUS RELATED ITEMS. THE CITY OF POWELL ENGINEERING OFFICE SHALL BE NOTIFIED IMMEDIATELY FOR ANY DISTURBANCES.
- 4. THE CONTRACTOR SHALL RESTORE OFF-SITE CONSTRUCTION AREAS TO EQUAL OR BETTER CONDITION THAN EXISTED PRIOR TO COMMENCEMENT.
- 5. THE CONTRACTOR SHALL IMMEDIATELY NOTIFY MSG OF ANY DISCREPANCIES FOUND BETWEEN THE PLANS OR FIELD CONDITIONS PRIOR TO START OF CONSTRUCTION.
- 6. REFER TO ARCHITECTURAL PLANS FOR SITE LIGHTING AND ELECTRIC CIRCUITRY.





GRAPHIC SCALE 1 INCH = 30 FEET

EXTON,

OUTPARCE MEIJER

PLAN

IMPROVEMENTS

SIT

PRELIMINARY UTILITY PLAN